Nuclear Instruments and Methods in Physics Research 76 (1993) xi–xvii
North-Holland

NIM B
Beam Interactions with Materials & Atoms

Contents

Editorial vii
Committees viii
Sponsors ix
Conference photograph x

Materials science
U. Gonser 1

Characterization of catalysts by Mössbauer spectroscopy: an application to the study of Fischer–Tropsch, hydrotreating and super Claus catalysts
A.M. van der Kraan, E. Boellaard and M.W.J. Crajé 6

New materials: the use of Mössbauer spectroscopy in the characterisation of new conducting solids
F.J. Berry 13

Mössbauer effect study of polymerization reaction mechanisms with tin compounds as catalysts
V.Ya. Rochev 17

Electrochemical and conversion electron mössbauer study of corrosion induced by acid rain
Cs. Vértes, M. Lakatos-Varsányi, W. Meisel, A. Vértes and P. Gütlich 20

Mössbauer studies of radiation induced interface effects
R. Wäppling 22

High dose implantation of Eu into α-Fe
H. Ladstätter, B. Stahl, O. Geiss, R. Gellert, M. Hartick, G. Klingelhöfer, P. Schwalbach and E. Kankeleit 29

Mössbauer study of spin reorientation in Fe/rare-earth multilayers
K. Mibu, N. Hosoito and T. Shinjo 31

Mössbauer effect of amorphous Fe–Cu–Ag alloy
K. Sumiyama, K. Nishi, K. Yoshimoto and M. Shiga 33

On direct experimental measurement of staggered susceptibility in antiferromagnet by using nuclear hyperfine coupling
M. Matsuura, Y. Taga and M. Hagiwara 35

Magnetic studies of the new soft magnetic Fe–Ni–Cr alloys
M. Ghafari, T. Okiyama, T. Takemoto, Y. Kawai and Y. Nakamura 37

Hyperfine interactions of ^{121}Sb in a magnetic chalcogen spinel $CuCr_{2-x}Sb_xS_4$
J. Nakamura, T. Okada, K. Asai and F. Ambe 39

Mössbauer study and soft magnetic properties of nanocrystalline Fe–Hf–C films
N. Kataoka, H. Adachi, N. Hasegawa and H. Fujimori 42

Magnetic properties of Sm–Fe and Nd–Fe alloys quenched from the melt
H. Adachi, K. Bessho, K. Kimura and H. Ino 44

Relaxation and recrystallization in an amorphous $Fe_{40}Ni_{40}B_{20}$ alloy
A. Mackenjee, H. Edwards, K. Bharuth-Ram and T.B. Doyle 46

Mössbauer spectroscopic determination of magnetic transition temperature of SUS 304 foil at low temperature
A. Nakamura, T. Toriyama, T. Inamura and H. Iijima 48

Polarized Mössbauer study of magnetic structure of Fe nanocrystalline
B. Hu, X. Zhang, Y. Fang and X. Yang 50

0168-583X/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

Mössbauer studies of $Fe_{0.079}Ni_{0.921}Cl_2$ and $Fe_{0.034}Ni_{0.966}Cl_2$ with competing orthogonal spin anisotropies
T. Tamaki and A. Ito 52
Magnetic structures in $DyMn_2(Si_{0.1}Ge_{0.9})_2$ intermetallics studied by ^{161}Dy Mössbauer spectroscopy
H. Onodera, T. Ono, M. Ohashi, Y. Yamaguchi and H. Kobayashi 55
Magnetocrystalline anisotropy of Y_2Fe_{17} with silicon and carbon
T. Kamimori, K. Koyama and M. Goto 57
Magnetic interaction of iron(II)–iron(III) complexes with carboxylic acid
Y. Maeda, Y. Tanigawa, S. Hayami and Y. Takashima 59
A study of magnetite at 4.2 K and subject to strong applied magnetic fields
S.J. Harker and R.J. Pollard 61
Magnetic hyperfine field distributions of amorphous Fe–B alloy particles and ribbons
S. Linderoth, C.A. Oxborrow and O.V. Nielsen 64
Mössbauer effect of Fe-rich FeZr amorphous alloys
H. Tange, S. Kawabuchi, M. Ikeda, T. Kamimori and M. Goto 66
Variation of magnetic anisotropy by heat treatment of amorphous alloy $(Co_{0.5}Fe_{0.5})_{74.5}Si_{13.5}B_{12}$: amorphous phase and precipitated crystalline phases
S. Morimoto and A. Ito 68
Magnetic properties and phase transition in bct $FeRh_{1-x}Pt_x$ alloys
S. Yuasa and H. Miyajima 71
Mössbauer spectra of ^{57}Fe in $CaVO_3$
F. Iga, H. Kobayashi and Y. Nishihara 74
A study of the local structure around Eu^{3+} ions in oxide glasses using Mössbauer spectroscopy
S. Todoroki, K. Hirao and N. Soga 76
Hydrogen absorption in amorphous $Fe_{78}Si_{13}B_9$
J. Grün, S.J. Campbell, N. Blaes, S. Fries, F. Aubertin, H.-G. Wagner and U. Gonser 78
A Mössbauer study of ball-milled Co–Fe–Si–B. I: dry milling
S.J. Campbell, K.D. Jayasuriya, A. Calka and J. Jing 81
A Mössbauer study of ball-milled Co–Fe–Si–B. II: with surfactants
K.D. Jayasuriya, S.J. Campbell, A. Calka and J. Jing 85
Isomer shift and quadrupole splitting of amorphous iron – uniqueness of the state of amorphous pure iron
H. Komatsu, N. Kataoka, K. Fukamichi and T. Goto 89
Hyperfine field and reentrant spin glass behavior in amorphous Lu–Fe alloys
H. Komatsu, T.H. Chiang, N. Kataoka, K. Fukamichi, T. Goto, S. Morimoto and A. Ito 91
Effect of temperature of long term melt on short range order in amorphous alloys
E. Kuzmann, A. Vértes, I.I. Usatyuk and I.A. Novohatskii 93
Mössbauer and X-ray diffraction study of electrochemically deposited Fe–Ni–Cr and Fe–Ni–Cr–P alloys
E. Kuzmann, A. Vértes, F.Kh. Chibirova, C.U. Chisholm and M.R. El-Sharif 96
Mobility and oxidation of boron in Fe–B and Fe–Ni–B glasses
C.A. Oxborrow, S. Mørup, I. Chorkendorff and J. Larsen 99
Stress-induced magnetization reorientation in amorphous ribbons
C.A. Oxborrow and S. Mørup 101
Mössbauer spectra and electrical conductivity of $x Na_2O–(40-x)Fe_2O_3–60P_2O_5$ glasses
T. Takahashi, T. Inamura, T. Toriyama and H. Iijima 103
Electric field gradient of iron in oxide glasses
K. Tanaka, K. Hirao and N. Soga 105
Study of the crystallization stages for amorphous system $Fe_{84-x}W_xB_{16}$ $(x = 0–5)$
A.A. Novakova, T.Yu. Kiseleva and G.V. Sidorova 107

Nondestructive quality control of an amorphous alloy by depth selective Mössbauer spectroscopy
A.A. Novakova, A.P. Kuprin, G.A. Sirotynina and G.V. Sidorova 109
Joule heating of Fe–B metallic glasses
M. Miglierini, J. Sitek and J. Lipka 113
A Mössbauer spectrometry study of hyperfine magnetic fields and ordering in Fe_3Al
B. Fultz and Z.Q. Gao 115
Ultrafine amorphous Fe–Ni–B and Fe–P–B particles
Z. Hu, Y. Chen and Y. Hsia 121
Mössbauer analyses of FeSiAl and FeSiAlN sputtered films
K. Inoue and S. Tanabe 124
Magnetic hyperfine studies of neodymium–iron oxides
S.P. Taneja, Y. Nakamura, V.K. Garg and N. Hosoito 127
Mössbauer studies of C15 RMn_2 compounds – critical distance versus critical field model
J. Przewoźnik, J. Żukrowski and K. Krop 130
Structural peculiarities in magnetic small particles
K. Haneda and A.H. Morrish 132
Particle interaction effects in systems of ultrafine iron oxide particles
P.V. Hendriksen, C.A. Oxborrow, S. Linderoth, S. Mørup, M. Hanson, C. Johansson, F. Bødker, K. Davies, S.W. Charles and S. Wells 138
Mössbauer study and magnetic characterization of the oxidized surface layer of fine iron particles
R. Liu, H. Lu, L. Wang and Y. Hsia 140
Structural and magnetic characterization of metal particles used as magnetic recording media
G. Principi, A. Maddalena, A. Gupta, G. Bottoni, D. Candolfo, A. Cecchetti and A.R. Corradi 143
Combined ^{57}Fe Mössbauer–NMR experiments using FeNi alloys
M. Lippmaa, I. Tittonen, J. Lindén and T. Katila 146
Mössbauer study of RFe_2O_4 family: A two-dimensional antiferromagnet on a triangular lattice
M. Tanaka 149
Lattice-dynamical effects and hyperfine interactions in Cu–Zn alloys
W. Potzel, M. Peter, M. Steiner, H. Karzel, W. Schiessl, G.M. Kalvius and U. Gonser 156
High-pressure studies on Invar alloys: a key for understanding itinerant electron magnetism
M.M. Abd-Elmeguid 159
The investigation of complex formation of tin(IV) with d-tartaric acid by Mössbauer spectroscopy and polarimetry
Sh.Sh. Bashkirov, A. Zapol'nyi, A. Khramov, A. Glebov, M. Delo and D.M. Gasisova 166
Mössbauer effect study of corrosion products from a Brazilian oil refinary
M.I. da Costa Jr., J.I. Kunrath, J.T. Moro, J.B.M. da Cunha, G. Englert, L.U. Comparsi and I.L. Muller 168
Wet corrosion of a cw power laser melted AISI 304 stainless steel
M. Carbucicchio, G. Palombarini and G. Savorelli 170
Evolution of the oxidation of ultrasmall α-Fe particles
S. Linderoth, M.D. Bentzon and S. Mørup 173
Development of Cu_xFe/Al_2O_3 catalysts for the hydrogenation of carbon monoxide guided by magnetic methods, Mössbauer and infrared spectroscopy
E. Boellaard, J.M. van Bruggen, J.W. Geus and A.M. van der Kraan 175
The effect of cerium on iron oxide catalysts for dehydrogenation of ethylbenzene
B. Hu, Z. Zeng, X. Yang, L. Mao and Y. Euang 178
Activation and detoxification of UICC crocidolite: the effect of conversion of oxidation state of iron on the toxicity of the fibres
M. Gulumian, H. De Waard and H. Pollak 180
Influence of mechanical activation on the Mössbauer spectra of the sulfides
J. Lipka, M. Miglierini, J. Sitek, P. Baláž and K. Tkáčová 183

High-pressure Mössbauer study of perovskite iron oxides
S. Nasu, K. Wada, T. Abe, K. Yamamoto, S. Endo, M. Takano and Y. Takeda 185
High-field Mössbauer phase analysis
R.J. Pollard 188
Comparative Mössbauer study of the effects of natural weathering and artificial oxidation on iron minerals present in coal
M. Gracia, J.R. Gancedo, M.L. Barrero, A.B. García, A. Martínez-Alonso and J.M.D. Tascón . 191
Mössbauer spectroscopy of nanocrystalline pure iron prepared by mechanical milling
T. Tanaka, S. Nasu, B. Huang, K.N. Ishihara and P.H. Shingu 195
A Mössbauer study of Fe clusters grown in Ag matrix
S.A. Makhlouf, K. Sumiyama, H. Onodera, K. Wakoh and K. Suzuki 197
Surface analysis of plate- and granular-shaped Fe–Si–Al alloy powders by CEMS
K. Nomura, Y. Ujihira and N. Kawashima 199
Surface magnetism of α-FeOOH by Mössbauer spectroscopy
A. Yamamoto, T. Honmyo, N. Hosoito, M. Kiyama and T. Shinjo 202
Depth selectivity at low temperatures with a proportional counter
T. Kobayashi, K. Fukumura and A. Nakanishi 204
Operation of a cryogenic conversion electron proportional counter under strong magnetic fields
T. Fujii, N. Hosoito, R. Katano and Y. Isozumi 207
Amorphous Fe–Ti–C phase produced by ion implantation of iron and its role in tribological behavior
D.L. Williamson, I.L. Singer, R. Wei and P.J. Wilbur 210
Study of phase transformations on magnetite single crystal surface by depth-selective Mössbauer spectroscopy
A.A. Novakova and A.P. Kuprin 213
Oxidation state of surface tin in an industrially produced float glass
G. Principi, A. Maddalena, A. Gupta, F. Geotti-Bianchini, S. Hreglich and M. Verità 215
CEMS study of ion-beam mixing at a Fe/W interface
A.P. Kuprin and I.G. Murzin 218
Vibrations of carbon-supported ultrafine iron oxide particles
P.V. Hendriksen, F. Bødker and S. Mørup 221
Mössbauer study of Fe-base amorphous ultrafine particles prepared by chemical reduction
J. Saida, M. Ghafari, Y. Nakamura, A. Inoue and T. Masumoto 223
Mössbauer spectra of interacting fine particles
M. Hayashi 225
Mössbauer study of iron fine particles surface modified with Ni
S. Kitahata and M. Kishimoto 227
Identification of iron oxide and hydroxide in soil clays
S.P. Taneja and D. Raj 230
Mössbauer and X-ray studies of soils
S.P. Taneja and D. Raj 233
Hyperfine and X-ray studies of coal and coal ash
S.P. Taneja, M.P. Aggarwall and A.S. Brar 236
Mössbauer and magnetic study of braunite mineral
S.P. Taneja and V.K. Garg 239
Characterization of iron minerals in bauxite
D. Raj, K.S. Harchand and V. Maini 242
Mössbauer effect characterization of Brazilian iron ores for mining industrial purposes
M.I. da Costa Jr., J.I. Kunrath, J.B.M. da Cunha, J.T. Moro and J.H. de Araújo 244
Mössbauer spectroscopic studies of iron particulate matter in coal soot
K.S. Harchand and D. Raj 246

Characterization of iron-bearing phases in coal and their ash
K.S. Harchand and D. Raj 249
^{121}Sb Mössbauer spectroscopic study of the mineral stibiconite
J.G. Stevens, R.M. Etter and E.W. Setzer 252
Mössbauer study of corrosion products from a CANDU * secondary system
J.A. Sawicki and M.E. Brett 254
Study on the hexagonal $BaFeO_{3-y}$ system by the Mössbauer effect
H. Kobayashi, F. Iga and Y. Nishihara 258
Study on preparation of ultrafine amorphous particles by chemical reduction
X. Song, X. Yusheng, J. Huali and X. Qing 260
Microstructure and tribology of carbon, nitrogen, and oxygen implanted ferrous materials
D.L. Williamson 262
Study of martensitic transformation in stainless steel by CEMS and RBS channeling
N. Hayashi, I. Sakamoto and H. Tanoue 268
Investigation of the phases present in Fe–V–C alloys by Mössbauer spectroscopy and X-ray diffraction
H. Pollak, A. Fleischmann, S.B. Luyckx and A. Koursaris 270
Mössbauer spectroscopy applied to icosahedral quasicrystals
M. Miglierini, S. Nasu and T. Kuwano 273
Magnetic phase diagrams of the $YBa_2(Cu_{1-x}Fe_x)_3O_y$ system
I.S. Lyubutin 276
Hydrogenation and deuterization of $EuBa_2Cu_3O_{7-d}$ high temperature superconductors
E. Kuzmann and M. Gál 284
Mössbauer spectroscopic study of conducting polymers doped with iodine
M. Seto, Y. Maeda, T. Matsuyama, H. Yamaoka and H. Sakai 287
Phase decomposition of commercial duplex- and single-phase stainless steel
H. Kuwano, Y. Ishikawa, T. Yoshimura and Y. Hamaguchi 290
Kinetical behaviour of anomalous austenite formation in turbine blade steel
E. Kuzmann, I. Varga and A. Vértes 292
Backscattering Mössbauer measurements of microstructural change in annealed duplex stainless steel
K. Morimoto, A. Kirihigashi and S. Nasu 295
Quantitative analysis of the intensity of Mössbauer spectrum
H. Fujimura, K. Oda, N. Kojima and H. Ino 297
Tellurium-125 Mössbauer spectroscopy and X-ray powder diffraction investigation of selenium–tellurium alloys prepared by novel methods
F.J. Berry, A.A. Tyrrer and S.S. Badesha 299
Mössbauer studies of the phase decomposition process of YFe_2 by mechanical grinding
H. Wada and M. Shiga 301
Effects of substituting Fe with Ni in iron borides
M. Carbucicchio, G. Palombarini and G. Sambogna 303
Investigation of Zn–Fe alloy coating
M. Ghafari, M. Saito, Y. Hirose and Y. Nakamura 306
Mössbauer spectroscopic characterization of macromolecule–metallochlorophyll complexes
H. Inoue, K. Fukuda, Y. Nonomura and E. Fluck 308
Mössbauer spectroscopic studies of the coordination polymers $[A(Me_3Sn)_3Fe(CN)_6]_x$ ($A = Me_3Sn^+$, Et_4N^+, Cp_2Fe^+, etc.)
M. Katada, M. Fujita, H. Yamada, S. Kawata and H. Sano 310
Spin relaxation in high-spin iron(III) complexes of tetraphenylporphine
T. Ohya and M. Sato 313

A Mössbauer study on an iron porphyrin model of ferric hemoproteins
O.Q. Munro, H.M. Marques, H. Pollak and N. Malas 315

Microclusters nucleation in porous materials
I.P. Suzdalev and V.K. Imshennik 318

^{197}Au Mössbauer spectroscopy of the cubic phase in the halogen bridged mixed valence complex $Cs_2Au_2I_6$
N. Kojima, F. Amita, H. Kitagawa, H. Sakai and Yu. Maeda 321

^{151}Eu Mössbauer spectroscopy and EXAFS investigation of the metal environment and oxygen deficiency in the compound $Eu_{1.3}Sr_{1.7}Cu_2O_{6-\delta}$
F.J. Berry, C. Greaves and R.C. Lobo 323

Study of iron doped $La_{2-x}Sr_xCuO_4$
P. Shah, A. Gupta, S.N. Kane, T. Rajasekharan and R. Gopalan 325

Mössbauer study of $EuBa_2(Cu(^{57}Fe))_3O_{7-d}$ superconductor and $PrBa_2(Cu(^{57}Fe))_3O_{7-d}$ non-superconductor
E. Kuzmann, Z. Homonnay, S. Nagy, M. Gál and A. Vértes 328

Mössbauer effect applications to the investigation of Cu(1) sublattice dynamics in oxide HTS at temperatures around T_c
A.A. Kosov and E.F. Makarov 331

Normal phonon of superconducting $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_2Ca_2Cu_3O_y$
T. Nishida, M. Katada, N. Miura, N. Yamazoe, Y. Matsumoto and Y. Takashima 335

^{57}Fe Mössbauer studies of $YBa_2(Cu_{1-x}Fe_x)_4O_8$
T. Okada, K. Asai, N. Yamada, T. Matsumoto, Y. Yamada and Y. Kodama 338

Mössbauer study of ^{57}Fe-doped $La_2SrCu_2O_6$
Y. Takano, T. Okada, S. Noro and T. Yamadaya 341

Correlation between ^{151}Eu Mössbauer parameters and the superconducting properties in high-T_c T′-, T*- and '123'-phases
M. Taniwaki, T. Muraki, H. Itoh and M. Kusuhashi 343

^{57}Fe Mössbauer analysis of T′-phase superconductor
M. Taniwaki, S. Nakaya and T. Muraki 345

Mössbauer spectroscopic study of fullerene C_{60} doped with iodine
M. Seto, Y. Maeda, T. Matsuyama, H. Yamaoka and H. Sakai 348

Mössbauer and X-ray diffraction studies of an allotropic form of tin, "α_2-Sn"
H. Sakai, H. Sera and S. Nakashima 350

Mössbauer effect of ^{151}Eu in europium oxalate and fluorides
C.I. Wynter, F.W. Oliver, A. Davis, J.J. Spijkerman, H. Stadelmaier and E.A. Wolfe 352

Monitoring iron carbide production from iron ore by quantitative Mössbauer spectroscopy
F.A. Stephens, D.L. Williamson and J.P. Hager 354

Characterization of tin oxide films gas sensor by in situ conversion electron Mössbauer spectrometry (CEMS)
K. Nomura, S.S. Sharma and Y. Ujihira 357

Thermal behavior of ternary $Sm_2Fe_{17}N_x$ magnets
H.-L. Li, K. Takahashi, Y. Ujihira, M. Ishiwatari, K. Kobayashi, T. Iriyama and T. Konishi ... 360

Mössbauer spectrometric study of $Sm_2Fe_{17}N_x$ ($x = 0 \sim 8$)
H.-L. Li, K. Takahashi, Y. Ujihira, K. Kobayashi, T. Iriyama and T. Konishi 363

^{197}Au Mössbauer spectroscopic study on the three-dimensional halogen bridged mixed valence complexes $M_2Au_2X_6$ (M = K, Rb; X = Br, I)
N. Kojima, A. Tanaka, H. Sakai and Yu. Maeda 366

Characterization of sputtered Sendust films by the Mössbauer effect
M. Shiga and Y. Hamakawa 368

Mössbauer spectroscopic and X-ray studies of Re–Fe (atomic ratio 1 : 9) mixed oxides; Re = Nd, Gd, and Tb
S.P. Taneja, Y. Nakamura, V.K. Garg and M. Shiga 370

Surfaces of $Nd_2Fe_{14}B$ studied by means of ^{57}Fe conversion electron Mössbauer spectroscopy and microstructural observations
S. Hirosawa, H. Tanimoto and S. Nasu 373

A Mössbauer study of Fe–Ta–N sputtered films
H. Nishida, M. Hirata, T. Hirano, T. Ohki, S. Nasu and A. Nakaue 376

Mössbauer study of gold in a copper refinery
J.A. Sawicki, J.E. Dutrizac, J. Friedl, F.E. Wagner and T.T. Chen 378

Depth selective CEMS in the energy range 0 to 20 keV
R. Gellert, O. Geiss, G. Klingelhöfer, H. Ladstätter, B. Stahl, G. Walter and E. Kankeleit 381

Mössbauer studies of Cr- or Ni-doped β-$FeSi_2$
S. Kondo, M. Hasaka, T. Morimura and Y. Miyajima 383

Mössbauer study of the formation of Cr–Fe amorphous alloy by mechanical milling
S.K. Xia, E. Baggio-Saitovitch, F.C.R. Assunção and V.A.P. Rodríguez 385

Thermal and optical switching of bistable iron compounds and possible applications
P. Gütlich 387

Crystallization and "optical memory" effect of oxide glasses
T. Nishida and Y. Takashima 397

The function of H and L Chains in iron sequestration in ferritin
E.R. Bauminger, P.M. Harrison, D. Hechel, I. Nowik and A. Treffry 403

Mössbauer and positron annihilation studies of pharmaceutically important iron–dextran complexes
M.I. Oshtrakh, E.A. Kopelyan, V.A. Semionkin, A.B. Livshits, V.E. Krylova and A.A. Kozlov . 405

Mixed-valence states of polynuclear iron complexes
S. Nakashima 408

On the crystalline structures of iron oxides formed during the removal process of iron in water
B. Cho, K. Fujita, K. Oda and H. Ino 415

^{57}Fe Mössbauer spectroscopic study on surface products of thin iron plates exposed to ambient atmosphere as a means of environmental monitoring
M. Matsuo and T. Kobayashi 418

Mössbauer absorption method of gas analysis
I.P. Suzdalev, V.K. Imshennik and S.V. Novichikhin 421

Depth dependent Mössbauer spectroscopy of quenched slags
C.A. McCammon, V. Chaskar and G.G. Richards 428

The costing and pricing of contracted Mössbauer spectroscopy: an institutional view
R.J. Pollard 431

Mössbauer search for Co–acceptor pairs in Si
A.-M. Van Bavel, M. Bennebroek, D. Neerinck and G. Langouche 434